



## Anti-Fish Nervous Necrosis Virus Particles, Mouse-Monoclonal Antibody

**Catalog No.** PG-20012    **Quantity:** 100 $\mu$ g    **Applications tested:** ELISA  
**Antigen species:** Fish NNV    **Reactivity:** Fish NNV  
**Host species:** Mouse    **Form:** Protein A affinity purified antibody

### Target description

Viral nervous necrosis (VNN) is a worldwide disease among marine fishes. Fish nervous necrosis virus (NNV) causes high mortality and considerable economic damage to the aquaculture industry. In Taiwan, VNN disease was first identified in 2 species of hatchery-reared grouper, *Epinephelus fuscogutatus* and *E. akaaya* in 1994. Since then, increasing mortalities have occurred among groupers *Epinephelus spp.*, and also among European eels *Anguilla anguilla* L., yellow-wax pompano *Trachinotus falcatus*, firespot snapper *Lutjanus erythropterus* B., barramundi *Lates calcarifer*, cobias *Rachycentron canadum*, humpback groupers *Cromileptes altivelis* and Chinese catfish *Parasilurus asotus*.

### Antigen

This monoclonal antibody was raised by a hybridoma cell line.

### Application

The antibody titer is 1:2,000 dilution for ELISA.

### Related Products

1. Anti-NNV coat protein rabbit pAb (GB-10063)
2. Anti-NNV coat protein rabbit pAb (GB-10064)

### Storage

It is supplied as protein A affinity purified antibody in lyophilized powder. Reconstituted the powder with 100 microliter sterile water will restore to the original concentration 1 mg/mL. Store at 4°C for short-term application. For long-term storage, aliquot and store at -20°C.

### References

1. Chi SC, Shieh JR, Lin SJ. Genetic and antigenic analysis of betanodaviruses isolated from aquatic organisms in Taiwan. Dis Aquat Organ. 2003 Aug 4;55(3):221-8.
2. Chi SC, Lin SC, Su HM, Hu WW. Temperature effect on nervous necrosis virus infection in grouper cell line and in grouper larvae. Virus Res. 1999 Sep;63(1-2):107-14.

FOR RESEARCH USE ONLY AND NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE